


<b>Universe</b>	Operators
<b>Type</b>	Verticality
<b>Category</b>	Pulleys
<b>Subcategory</b>	Adventure Park Pulleys




## TRAC GUIDE LT

TRAC GUIDE LT is a trolley designed for adventure parks. Featuring an ergonomic captive carabiner, it allows the guide to quickly install the trolley on the cable with one hand. Because the carabiner pivots, the trolley remains in position on the cable when it makes contact with the end brake of the zipline. The ends are equipped with protective impact surfaces to reduce the risk of pinched fingers, and two connector support grooves to help avoid abrasion from the cable. The JOKO and AVENTEX lanyards are directly integrated in the carabiner, limiting the risk of separation or loss. The carabiner's reinforced construction provides greater resistance to damp and salty environments. Product life is extended with durable bearings and removable carabiner and impact surfaces, available as spare parts.



The ergonomic captive carabiner allows the guide to quickly install the trolley on the cable with one hand.



Because the system allows the carabiner to pivot, the trolley remains in position on the cable when it makes contact with the end brake of the zipline.

---

**Short Description** Durable trolley designed for adventure parks

---

**Selling Points**

- Trolley designed for adventure parks:
  - Ergonomic captive carabiner allows the guide to quickly install the trolley on the cable with one hand
  - Two aligned sheaves provide excellent stability on the zipline
  - Because the carabiner can pivot, the trolley remains in position on the cable when it makes contact with the end brake of the zipline
  - Front and rear impact surfaces limit the risk of pinched fingers
  - Two positioning support grooves for the connectors limit abrasion from the cable
  - JOKO or AVENTEX lanyards are directly integrated in the carabiner, limiting the risk of separating or losing the trolley/lanyard unit
  - Easy to connect to the harness, thanks to the CARITRAC stowing accessory (included)
- Excellent durability for easy maintenance and extended product life:
  - Single-row ball-bearings offer excellent durability
  - Carabiner with reinforced construction and hard anodization for greater resistance to damp and salty environments
  - Impact surfaces optimize contact between the trolley and the end brake of the zipline
  - Carabiner and impact surfaces are completely removable and available as replacement parts to extend the life of the trolley
- Available individually or in packs of five

---

**Specification**

- Cable diameter: 9 to 13 mm (may also be used on ropes)
  - Weight per unit: 425g
  - Material(s): Aluminum frame and carabiner, stainless steel sheave, nylon
  - Certification(s): CE EN 17109, CE EN 12278, UKCA, UIAA
  - Maximum speed: 25 m/s
-

**Specifications by reference**

<b>Reference(s)</b>	<b>P024DB00</b>	<b>P024DB01</b>
Inner Pack Count	Sold individually	Sold in a pack of 5
Made in	FR	FR
Guarantee	3 years	3 years
Quantity Per Box	8	1
EAN	3342540837515	3342540842281

---

**Spare part(s)**            Impact surfaces for TRAC GUIDE trolleys  
                                 Carabiner for TRAC GUIDE trolleys

---

**Accessory(ies)**        CARITRAC