

Universe	Professional
Type	Verticality
Category	Harnesses
Subcategory	Harness accessories




TOOLEASH

The TOOLEASH extendable tether allows you to attach a tool to prevent dropping it when working at height. The high-strength elasticized tether is compact on your harness. The versatile connection system allows you use it as a long-term tool tether or switch between tools, depending on your needs. TOOLEASH is part of a complete solution for dropped tool prevention.



The TOOLEASH elasticized tether offers optimal size-to-weight ratio and is easy and convenient to use.



When elements are combined, it can stretch to maximum of 120 cm, holding a 5 kg load.



To make working at height easier, Petzl offers a complete solution to help prevent accidentally dropping your tool.

Short Description Extendable drop-prevention tether for a tool weighing up to 5 kg

Selling Points

- Practical and lightweight elasticized tether:
 - High-strength yet compact elasticized tether
 - System can stretch to a length of up to 120 cm for ease of use while working
- Versatile connection system:
 - Long-term tethering with girth hitch
 - TWIST-LOCK connector simplifies attachment to the TOOLINK (S, M, or L)
- Connection to the harness is optimized with the INTERFAST, but it can also connect directly to the equipment loop, depending on the weight of the tool

Specification

- Maximum load: 5kg
- Total length under tension: 105 cm
- Maximum length of combined elements: 120 cm (TOOLEASH extendable tether + TOOLINK attachments)
- Certification(s): ANSI/ISEA 121-2018 (standard for dropped object prevention solutions)
- Material(s): Polyester, aluminum
- Weight: 56g

Specifications by reference

Reference(s)	S049AA00
Made in	CN
Guarantee	3 years
Inner Pack Count	1
Quantity Per Box	124
EAN	3342540842540

Accessory(ies) TOOLINK S and TOOLTAPE
 TOOLINK M
 TOOLINK L

Related product(s) INTERFAST
 TOOLBAG 1.5
 TOOLBAG 3
 TOOLBAG 6