

Cresto, Armur+ Single-S

Self retractable lanyard C10H & C15H

- User weight vertical - 150 kg
- Comes in lengths of 10 and 15 meters.
- User weight horizontal - 150 kg

EN 360 : 2002

CNB/P11.060 Type A



Product description

Cresto Armur + Single-S is a self retractable lanyard with galvanized steel wires that is approved for both vertical and horizontal use, making it suitable for work on roofs and in industries. Attach the anchorage at the harness's anchor point on the back for best freedom of movement. Thanks to its smart design with a robust design, the equipment's service is cost effective. During the autumn of 2021, the SRL will be updated with a leading edge absorber for safer use, which can be seen in the picture.

Product properties

Brand	Cresto
Attaching connector 1	Oval screwgate carabiner in aluminum
Attaching connector 2	2-way swivel snap-hook in aluminum
Minimum breaking strength - MBS (kN)	15
Energy absorber	Yes
Fall indicator	Yes
Material	Galvanized steel
Maximum load (kg)	150
Maximum number of users	1
Maximum working temperature (c)	50
Minimum working temperature (c)	-30
Rope	4,5 mm wire in galvanized steel
PPE-category	Category 3
Declaration of Conformity	Yes

EN-standard	EN 360 : 2002, CNB/P11.060 Type A
Warranty	2+1 year when registered in Inspector
Identification	Serial number
Annual inspection	Yes, every 12 months
Notified body	0598, SGS Fimko Ltd, Takomotie 8, FI-00380 Helsinki, Finland
RFID	Yes

Article information

Article number	Article name	Colors	Net weight (kg)
012212260	Cresto, Armur+ Single-S, 10m	Black	5.83
012212270	Cresto, Armur+ Single-S, 15m	Black	7.52

Article number	Article name	GTIN	Tariff number	UNSPSC Code	Country of origin
012212260	Cresto, Armur+ Single-S, 10m	7350015795921	73269098	46182306	United Kingdom
012212270	Cresto, Armur+ Single-S, 15m	7350015795952	73269098	46182306	United Kingdom

Article number	Article name	Packaging type	W(cm)	H(cm)	L(cm)	Gross weight (kg)	Pieces / Pack
012212260	Cresto, Armur+ Single-S, 10m	Carton	0	0	0	5.85	1
012212270	Cresto, Armur+ Single-S, 15m	Carton	0	0	0	7.54	1