

Cresto, Worker Adjustable 1215

Fall arrest line 1215

- Durable 12 mm polyamide rope
- For users up to 140 kg
- Easily adjustable rope grab

EN 353-2 : 2002



Product description

This fall arrest line is made of a 12 mm thick rope of high quality, and the adjustable rope grab allows the product to be used easily in, for example, roof work. The fall arrest line is tested and approved for users up to 140 kg. The textile fall arrester is located in an openable bag to make it easier to carry out an annual inspection according to EN 365.

Product properties

Brand	Cresto
Adjustable under load	No
Attaching connector 1	Oval twist carabiner in aluminum, mounted with captive pin
Attaching connector 2	Oval twist carabiner in aluminum, mounted with captive pin
Minimum breaking strength - MBS (kN)	15
Energy absorber	Yes
Material	Polyamide
Maximum load (kg)	140
Maximum number of users	1
Mechanics	Tear-webbing absorber on the rope grab
Maximum working temperature (c)	100
Minimum working temperature (c)	-40
Rope	12 mm kern mantle rope in polyamide by the brand Patron from Teufelberger
PPE-category	Category 3

Declaration of Conformity	Yes
EN-standard	EN 353-2 : 2002
Warranty	2+1 year when registered in Inspector
Identification	Serial number
Annual inspection	Yes, every 12 months
Life span	10 years
Notified body	1019, VVUU, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic
RFID	Yes

Article information

Article number	Article name	Colors	Net weight (kg)
012202710	Cresto, Worker Adjustable, 10 m	Red	1.77
012202715	Cresto, Worker Adjustable, 15 m	Red	2.23

Article number	Article name	GTIN	Tariff number	UNSPSC Code	Country of origin
012202710	Cresto, Worker Adjustable, 10 m	7350015798052	56090000	46182302	Slovakia
012202715	Cresto, Worker Adjustable, 15 m	7350015798069	56090000	46182302	Slovakia

Article number	Article name	Packaging type	W(cm)	H(cm)	L(cm)	Gross weight (kg)	Pieces / Pack
012202710	Cresto, Worker Adjustable, 10 m	Carton	11	40	22	1.79	1
012202715	Cresto, Worker Adjustable, 15 m	Carton	11	40	22	2.25	1