# **A CRESTO SAFETY**

## **Smartline X**

#### **Evacuation equipment**

- Compact personal equipment
- Maximal user weight 140 kg
- · Can be mounted on the harness

EN 341: 2011



#### **Product description**

Smartline X kit is developed especially for pole and tower workers but can also be used for most evacuations and rescues for heights up to 25 meters. Smartline X, with its great capacity, although in small size and low weight, enables you always to carry it on your harness for your safety. Smartline X is a small, manually controlled descent device for evacuation. It can also thanks to the special shackle easily be configured for lifting a person shorter distances in a rescue. The precision put into the details of this product is extraordinary. The line used in the device is made out of Aramide, which has fantastic durability. The cooling plates on the side make sure to keep the device and rope from overheating. The Smartline X is certified to the PPE Regulation and in accordance with the EN 341 standard for one time use. Material shortages due to the pandemic have resulted in the need for Cresto Group to periodically and temporarily replace certain components on our products with replacement components fulfilling the same function. Due to this, the product images may differ from that which is delivered.

Product properties	
Brand	RESQ
Adjustable under load	Yes
Attaching connector 1	Device: Aluminum carabiner tri-lock
Attaching connector 2	Rope/absorber: Aluminum carabiner tri-lock
Descent speed (m/s)	0,5-2
Energy absorber	Yes
Fall indicator	No
Functions	Descend function
Gate opening (mm)	20
Lifting mechanics	Method 1:3
Material	Nylon, Aluminum , Aramid

Maximum descent	200 meter
Maximum load (kg)	140
Maximum number of users	1
Maximum rope length (m)	200
Mechanics	Friction b rake
Minimum load (kg)	60
Maximum working temperature (c)	50
Minimum working temperature (c)	-25
Packinging type	Bag
Rope	Aramid 5,5mm, 16 twill braid coreless construction
PPE-category	Category 3
Declaration of Conformity	Yes
EN-standard	EN 341 : 2011
Warranty	2 year
Identification	Serial number
Annual inspection	Yes, every 12 months
Life span	7 years
Notified body	0200, FORCE Certification A/S, Main office, Park Allé 345, DK-2605 Brondby, Denmark
RFID	Yes

### **Article information**

Article name	Colors	W(cm)	H(cm)	L(cm)	Net weight (kg)	
RESQ, Smartline X, 15m	Black	7.5	17.5	15.5	0.95	
RESQ, Smartline X, 25m	Black	9.5	14	15.5	1.02	_
Article name	G	TIN	Tariff :	number	UNSPSC Code	Country of origin
RESQ, Smartline X, 15m	735001	15798502	842539	900	46182312	Slovakia
RESQ, Smartline X,	7350015798519		84253900			Slovakia
1	RESQ, Smartline X, 15m  RESQ, Smartline X, 25m  Article name  RESQ, Smartline X, 15m	RESQ, Smartline X, 15m  RESQ, Smartline X, 25m  Black  Article name  RESQ, Smartline X, 15m  RESQ, Smartline X, 735001	RESQ, Smartline X, 15m  RESQ, Smartline X, 25m  Article name  RESQ, Smartline X, 7350015798502  RESQ, Smartline X, 7350015798502	RESQ, Smartline X, 15m Black 7.5 17.5  RESQ, Smartline X, 25m Black 9.5 14  Article name GTIN Tariff of Ta	RESQ, Smartline X, 15m  RESQ, Smartline X, 25m  Black 7.5 17.5 15.5  Black 9.5 14 15.5  Article name  GTIN Tariff number  RESQ, Smartline X, 7350015798502 84253900  RESQ Smartline X	RESQ, Smartline X, 15m Black 7.5 17.5 15.5 0.95  RESQ, Smartline X, 25m Black 9.5 14 15.5 1.02  Article name GTIN Tariff number UNSPSC Code  RESQ, Smartline X, 7350015798502 84253900 46182312  RESQ Smartline X

Article number	Article name	Packaging type	W(cm)	H(cm)	L(cm)	Gross weight (kg)	Pieces / Pack
012230117	RESQ, Smartline X, 15m	Carton	0	0	0	0.97	1
012230118	RESQ, Smartline X, 25m	Plastic pack	0	0	0	1.04	1